

### Skydecor Laminates Pvt. Ltd.

Works: Plot No. 136, Ecotech-1 Extension, Greater Noida, G.B. Nagar, Uttar Pradesh-201308 Experience Center 20-21 Rekha Enclave 2nd Floor Mansarovar Garden, Kirti Nagar, New Delhi, 110015



E-CATALOGUE

Dealer Name:

















Signature and Date



2024-26



ACRYLIC LAMINATES



MADEIN INDIA



## FEATURES

#### **SUPERIOR GLOSS**

Skydecor Acrylic
Laminates are made of
100% Pure PMMA laminates,
which gives the surface a
super glossy finish & mirror
like sheen that retains
its color and brightness
over the years.



#### **COLORS & VARIETIES**

Skydecor Acrylic Laminates come in a wide range of colors, patterns, and versatile design options.



#### **LIGHT WEIGHT**

The flawless design structure of Skydecor Acrylic Laminates are engineered to be extremely light weight and easy to apply.



#### **DURABLE**

Skydecor Acrylic Laminates exceptional features makes them strong and highly durable.



#### **ANTI SCRATCH**

Skydecor Acrylic Laminates are developed with top tier technology. 6H Coating makes it highly scratch resistant.



## WATER PROOF & STAIN RESIST.

Skydecor Acrylic Laminates are treated with a special coating on their surface to make them water proof.



#### **TERMITE PROOF**

Skydecor Acrylic Laminates are specially treated to ensure that they remain termite and borer free for a lifetime.



#### **LOW MAINTENANCE**

Skydecor Acrylic
Laminates
are easy to use with
very low maintenance.
Just a normal wipe with a
clean & wet cotton cloth.





### ABOUT US

Skydecor began its journey in the year 2016 with a goal to reach beyond the sky limits. With over 1,00,000 sq. meters of Infrastructure area and state of the art machinery, we aim to expand and develop at every stage. Our manufacturing units are in Greater Noida and Hapur where we manufacture PVC Laminates, Acrylic Laminates and Decorative Laminates. Our Operational Headquarters is in Noida and Experience Center in Kirti Nagar.

Boasting a legacy of a decade, Skydecor Laminates offers to revitalize the space around you. Our collections offer limitless possibilities for an interior space to look stylish and refined. From solids to textures, from naturals to eternals, our laminates come in a wide variety of designs and patterns.

As a socially and environmentally responsible company, Skydecor also prioritizes sustainability in our design practices. We strive to incorporate eco-friendly materials, energy-efficient solutions, and sustainable practices wherever possible, contributing to a greener and more sustainable future.

Our team follows a collaborative approach, working closely to ensure smooth project management, timely execution, and impeccable finishing. We believe by developing a large dealer network in India, Skydecor has left its footprints around our country. Our team works with clients to understand their vision, preferences and requirements, ensuring that each project reflects their individuality and exceeds their expectations. We pay meticulous attention to detail, incorporating the latest design trends, materials, and technologies to create inspiring and functional spaces.

Researching and developing a wide range of laminate designs with the utmost quality and at affordable prices has become our key goal for customer satisfaction. Explore Skydecor's Laminates collection to design your interiors according to your specifics.





















**DECORATIVE** 









LINER





PRE-LAMINATED

### 2016

#### **Skydecor PVC Laminates** Manufacturing Plant

in Greater Noida - U.P. with Production Capacity of 3 Lac Sheets per annum



2018

**Production Capacity Tripled** 1 Million Sheets per annum



**Skydecor Decorative Laminates Manufacturing Plant** 

in Hapur - U.P. with Production Capacity of 3 Million per annum



2022

**Skydecor Acrylic Laminates Manufacturing Plant** 

Greater Noida - U.P. with Production Capacity of 6 Lac Sheets per annum



**Skydecor Experience Centre** 

in Mansarovar Garden, Kirti Nagar, New Delhi - 15



**Skydecor Proudly Announces** 

the Grand Opening of Our First Export Warehouse in Dubai!





WE ARE THE ONLY COMPANY MANUFACTURING ALL KINDS OF LAMINATES IN INDIA.

THE "MADE IN INDIA" BRAND TO DRIVE ECONOMIC GROWTH & SUSTAINABILITY











NAME	SERIES	PAGE NO.
FLUTE 3 MM (GLASS)	1500	02 - 06
FLUTE 3 MM (GLASS)	1000	08 - 10
SOLID 2 MM	300	12 - 14
SOLIDS RASO 1.5MM	200	15 - 16
SHIMMER 1.5 MM	150	18 - 20
METALLO 1.5 MM	400	22 - 24
SOLIDS 1.5 MM	100	25 - 34
MARBLEX 1.5 MM	450	35 - 42
REFLECT 1.5 MM	700	43 - 44
NATURAL WOOD 1.5 MM	600	45 - 46
FLUTE 3 MM (GLASS)	2000	47 - 48












# DESIGN LIKE NATURE



The latest talk of the town is now in catalogue to be found in your spaces.


















## FLUTE GLASS 3 MM THICKNESS





SDA 1508










The distinct features of sparkled acrylic sheets complement each other to achieve a pleasant and comfortable home!


















## FLUTE GLASS 3 MM THICKNESS















SDA 1501

SDA 1506






SDA 1504




















SDA 1002










We present the new range of fluted laminates which come in a wide range of colors and design patterns. Select through this catalog and decorate your space with grace.











SDA
1003

MATCHING EDGE BAND • SDE 107






SDA
1004


MATCHING EDGE BAND • SDE 115





SDA 1005








Bring dimensions and character to your walls and achieve a refined look!









Dark shades are the unmatched elegance and endless possibilities!















MATCHING EDGE BAND • SDE 106



SDA 302

MATCHING EDGE BAND • SDE 113



SDA 303




### SOLID RASO 1.5 MM THICKNESS












### SOLID RASO 1.5 MM THICKNESS








































### SHIMMER 1.5 MM THICKNESS







SDA 153

MATCHING EDGE BAND • SDE 153




SDA 152 MATCHING EDGE BAND • SDE 152











































SDA 157 MATCHING EDGE BAND • SDE 157 SDA 158 MATCHING EDGE BAND • SDE 158



SDA 156 MATCHING EDGE BAND • SDE 156

SDA 155 MATCHING EDGE BAND • SDE 155




SDA 162













Have a trending surface, lustrous finish, ravishing charm are perfectly the right options if you are looking to renovate!


GH

COATING SUPERIOR GLOSS ANTISCRATCH ANTI YELLOW PURE ACRYLIC WATER PROOF TERMITE PROOF









SDA 428

MATCHING EDGE BAND • SDE 428

SDA

MATCHING EDGE BAND • SDE 427







SDA 426



## METALLO 1.5 MM THICKNESS








SDA 432

MATCHING EDGE BAND • SDE 432






SDA 425


















SDA 133

SDA 127







MATCHING EDGE BAND • SDE 132







SDA 126


























SDA 125 MATCHING EDGE BAND • SDE 125



MATCHING EDGE BAND • SDE 111




SDA 130

MATCHING EDGE BAND • SDE 130





## 1.5 MM THICKNESS







SDA 103 MATCHING EDGE BAND • SDE 103




SDA 122 MATCHING EDGE BAND • SDE 122



SDA 135 MATCHING EDGE BAND • SDE 135





# 1.5 MM THICKNESS

We focus on carrying relaxing getaways for our clients. Keeping in mind the feeling of putting your leg up, grabbing a book and relaxing. These texture help us.









SDA 114 MATCHING EDGE BAND • SDE 114





SDA 113 MATCHING EDGE BAND • SDE 113



SDA 102 MATCHING EDGE BAND • SDE 102

























## SOLIDS 1.5 MM THICKNESS

SDA 119

















MATCHING EDGE BAND • SDE 118







SDA MATO



### MARBLEX 1.5 MM THICKNESS















SDA 464
















The softness and the richness that they bring look like painted beauty.

## MARBLEX 1.5 MM THICKNESS





SDA 452

















SDA 462



## MARBLEX 1.5 MM THICKNESS










SDA 460





SDA 459 A

# MARBLEX 1.5 MM THICKNESS


















SDA 456





SDA 455


























SDA 702





## NATURAL WOOD

1.5 MM THICKNESS

SDA 608








SDA 611 A










## NATURAL WOOD

1.5 MM THICKNESS














3 MM THICKNESS











#### WAYS TO KEEP SKYDECOR ACRYLIC LAMINATE NEW FOREVER

Follow some steps mentioned as below to maintain Skydecor Acrylic Laminates.

- To clean the surface of Acrylic Laminates do not use thinner.
- Wipe the surface gently with a non-abrasive cloth.
- Avoid the use of abrasive liquid cleansers, bleaching compounds or solution as these may damage the surface of the laminates.
- Use mild house hold glass cleaner like COLIN to remove more stubborn stains.
- You can use normal water also for cleaning.
- Do not place hot cookware directly on the Acrylic Laminate.
- Always store Acrylic Laminates at temperature below 300 Celsius.

### HOW TO APPLY SKYDECOR ACRYLIC LAMINATES ON INTERIORS & FURNITURES

- Use balancing sheet on backside.
- Always clean the dust particles properly from the substrate (plywood MDF, Particle Board) surface by cloth or soft brush.
- Always use good quality branded adhesive to stick Acrylic Laminate on substrate.
   Please don't add water in adhesive before using it.
- Spread the adhesive uniformly by brush, roller or adhesive spreader on Acrylic Laminate and base substrate (Plywood, MDF, Particle Board).
- It is necessary to remove the air between Acrylic Laminate and substrate. Please leave minimum 2mm of groove between two pieces of Acrylic Laminate.
- At the time of pressing Acrylic Laminate on base substrate (Plywood, MDF, Particle Board) always use soft pinch roller or normal pressing technique to protect surface from any damage.
- The pressing should be done from the middle of the panel and move towards to the sideline and corners of the panel.
- For better bonding of Acrylic Laminate on substrate, press it for minimum 12 to 15 hours.
- Peel off the protective film within 15 days of installation.



### WAYS TO PREVENT SKYDECOR ACRYLIC LAMINATES FROM COLOR FADE OR YELLOWING

- Do not expose your Acrylic Laminated furniture to direct sunlight, it may cause discolouring, fading and yellowing of the laminates.
- Don't use inferior quality chemical dipped plywood as it can react with adhesive which may cause yellow patches after the installation.
- Don't use synthetic rubber adhesive for bonding as it may lead to brown/colored patches on Acrylic Laminates.
- Don't place hot cookware directly on the Acrylic Laminates.
- Prolong exposure of Acrylic Laminate above 30-degree temperature should be avoided.

### YOU CAN AVOID PROBLEMS LIKE AIR BUBBLE & DELAMINATION ACRYLIC LAMINATE.



Avoid the lamination process of Acrylic Laminate under high humidity environment.



Don't use uneven surface substrate (Plywood, MDF, Particle Board) that may lead to air vacuum and air bubble which may appear after the installation.



Insufficient or lack of pressing during the bonding period of Acrylic Laminate.



Prevent the base substrate (Plywood, MDF, Particle Board) to absorb moisture. Because after few days of installation, it gradually loses moisture and this resulting in air bubble formation between Acrylic Laminate and substrate.



Don't use the water base synthetic resin adhesive any other the PEVA (Polyethylene Vinyl Acetate Co-polymer)



Take extra care during use of big size acrylic laminate for paneling because due to the bigger surface area, improper lamination may lead to air bubble formation after installation.

ALL DESIGNS IN THIS CATALOGUE CAN BE CUSTOMIZED IN: FLUTE & SOFT MATT






S.NO.	DESIGN NO.	MATCHING EDGE BAND	PAGE NO.
1	SDA 101		31
2	SDA 102	EDGE BAND • SDE - 102	30
3	SDA 103	EDGE BAND • SDE - 103	29
4	SDA 105	EDGE BAND • SDE - 105	25
5	SDA 106	EDGE BAND • SDE - 106	34
6	SDA 107	EDGE BAND • SDE - 107	34
7	SDA 109	EDGE BAND • SDE - 109	26
8	SDA 111	EDGE BAND • SDE - 111	28
9	SDA 112	EDGE BAND • SDE - 112	28
10	SDA 113	EDGE BAND • SDE - 113	30
11	SDA 114	EDGE BAND • SDE - 114	30
12	SDA 115	EDGE BAND • SDE - 115	29
13	SDA 116		30
14	SDA 117		32
15	SDA 118	EDGE BAND • SDE - 118	34
16	SDA 119	EDGE BAND • SDE - 119	33
17	SDA 120		27
18	SDA 121	EDGE BAND • SDE - 121	26
19	SDA 122	EDGE BAND • SDE - 122	29
20	SDA 123		32
21	SDA 125	EDGE BAND • SDE - 125	27
22	SDA 126	EDGE BAND • SDE - 126	26
23	SDA 127	EDGE BAND • SDE - 127	25
24	SDA 128	EDGE BAND • SDE - 128	32
25	SDA 129	EDGE BAND • SDE - 129	26
26	SDA 130	EDGE BAND • SDE - 130	28
27	SDA 131	EDGE BAND • SDE - 131	32
28	SDA 132	EDGE BAND • SDE - 132	25
29	SDA 133	EDGE BAND • SDE - 133	25
30	SDA 134	EDGE BAND • SDE - 134	28
31	SDA 135	EDGE BAND • SDE - 135	29
32	SDA 136	EDGE BAND • SDE - 136	34
33	SDA 137	EDGE BAND • SDE - 137	26
34	SDA 137	EDGE BAND • SDE - 138	31
35	SDA 150	EDGE BAND • 3DE - 136	18
36	SDA 151	EDGE BAND • SDE - 152	18
37	SDA 153	EDGE BAND • SDE - 153	18
38	SDA 153	EDGE BAND • 3DE - 133	18
39	SDA 155	EDGE BAND • SDE - 155	20
40	SDA 155	EDGE BAND • SDE - 156	20
41	SDA 156	EDGE BAND • SDE - 157	20
42	SDA 157 SDA 158	EDGE BAND • SDE - 158	20
43	SDA 156 SDA 161	EDGE DAND - SDE - 130	20
44	SDA 161 SDA 162	EDGE BAND • SDE - 162	20
45	SDA 102 SDA 201	EDGE DAND - SDE - 102	15
46	SDA 201 SDA 202		15
47	SDA 202 SDA 203		15
48	SDA 203		16
49	SDA 204		16
50	SDA 206		15
51	SDA 200		16
52	SDA 207		16
53	SDA 200		15
54	SDA 301	EDGE BAND • SDE - 122	14
55	SDA 302	EDGE BAND • SDE - 113	14
56	SDA 303	EDGE BAND • SDE - 102	14

S.NO.	DESIGN NO.	MATCHING EDGE BAND	PAGE NO.
57	SDA 304	EDGE BAND • SDE - 135	14
58	SDA 305	EDGE BAND • SDE - 106	12
59	SDA 306	EDGE BAND • SDE - 107	12
60	SDA 307	EDGE BAND • SDE - 136	12
61	SDA 420	EDGE BAND • SDE - 420	24
62	SDA 421	EDGE BAND • SDE - 421	24
63	SDA 422	EDGE BAND • SDE - 422	24
64	SDA 423	EDGE BAND • SDE - 423	23
65	SDA 424	EDGE BAND • SDE - 424	23
66	SDA 425	EDGE BAND • SDE - 425	24
67	SDA 426	EDGE BAND • SDE - 426	22
68	SDA 427	EDGE BAND • SDE - 427	22
69	SDA 428	EDGE BAND • SDE - 428	22
70	SDA 429	EDGE BAND • SDE - 429	23
71	SDA 430	EDGE BAND • SDE - 430	23
72	SDA 431	EDGE BAND • SDE - 431	24
73	SDA 432	EDGE BAND • SDE - 432	24
74	SDA 451		38
75	SDA 452		38
76	SDA 453		41
77	SDA 454		41
78	SDA 455		42
79	SDA 456		42
80	SDA 459 A		40
81	SDA 460		40
82	SDA 461		39
83	SDA 461		39
84	SDA 462		35
85	SDA 463		35
86	SDA 465		36
87	SDA 405 SDA 601		46
			45
88	SDA 607		
89	SDA 608		45
90	SDA 611 A		45
91	SDA 612		45
92	SDA 701		44
93	SDA 702		44
94	SDA 703		44
95	SDA 704		44
96	SDA 1001		08
97	SDA 1002	EDCEDAND ODE 405	08
98	SDA 1003	EDGE BAND SDE - 107	10
99	SDA 1004	EDGE BAND • SDE - 115	10
100	SDA 1005	EDGE BAND • SDE - 102	10
101	SDA 1501		06
102	SDA 1502		06
103	SDA 1503		06
104	SDA 1504		06
105	SDA 1505		06
106	SDA 1506		06
107	SDA 1507		02
108	SDA 1508		04
109	SDA 1509		04
110	SDA 2001		48
111	SDA 2002		48

### COMPARISON TABLE

PARAMETERS	SKYDECOR ACRYLIC LAMINATE	HIGH GLOSS LAMINATE (MICA)	PU COATING / DUCO PAINT	BACK PAINTED GLASS
GLOSS LEVEL	>90	>70	>85	>85
SCRATCH PROOF	6H ANTISCRATCH	NO	NO	NO
COLOR CONSISTENCY	EXCELLENT	NOT GOOD	NOT GOOD	NOT GOOD
ORANGE PEEL	NO	YES	YES	NO
UV RESISTANCE	EXCELLENT	BAD	BAD	BAD
WATER RESISTANCE	EXCELLENT	BAD	BAD	EXCELLENT
DRY HEAT RESISTANCE	EXCELLENT	GOOD	BAD	BAD
VOLATILE ORGANIC COMPOUNDS (VOCS)	NO	YES	YES	YES



Sheet Size: 8' x 4' (2440mm X 1220mm)
Sheet Standard Thickness: 1.5mm, 2mm & 3mm (Flute only)
Sheet Thickness can be customized in 1mm
Length & Width Tolerance: 1 inch
Thickness Tolerance: 0.10mm

All designs in this catalogue can be customized in : FLUTE & SOFT MATT

#### **DISCLAIMER**

The Products are tested to be reasonably free of defects, and when used and fabricated properly they will comply with the applicable manufacturing specifications within realistic deviations. We recommend customers to inspect products properly before installing.

Product's warranty in no way covers defects and non-compliance from or otherwise attributable to any other causes, including, without limitation the following:

- Improper handling / transportation / storage of Skydecor Acrylic Laminates
- Improper installation of Skydecor Acrylic Laminates
- Improper or unintended usage of Skydecor Acrylic Laminates
  Lack of or improper maintenance of Skydecor Acrylic Laminates
- Exposure to high temperatures
- Unauthorized alteration to the products
- Outdoor applications
- Do not use plywood with high moisture content
- Do not use ply with uneven surface

